



KOZLODUY NPP EAD

Kozloduy, Bulgaria, Tel.: +359 973 7 35 30, Fax: +359 973 7 60 27

INFORMATION NOTICE

SUBJECT: Market consultation within the meaning of Article 44 of the PPA for the submission of indicative offers with the following subject: **“Supply of cables with insulation of reaction to fire performance class Bca or Cca, as per Standard EN 50575, Power, Control and Communication Cables. Cables for General Applications in Construction Works Subject to Reaction to Fire Performance Requirements, in compliance with EN50399; EN60332; EN61034 and EN60754”**

Kozloduy NPP EAD informs all the interested parties that we extend the deadline for calls for indicative offers for “Supply of cables with insulation of reaction to fire performance class Bca or Cca, as per Standard EN 50575, Power, Control and Communication Cables. Cables for general use in construction and installation activities subject to requirements for reaction to fire”, in accordance with EN50399; EN60332; EN61034; and EN60754” until **29.08.2022**, under the conditions specified in the invitation for market consultations No. **49653** published in the buyer's profile at the following link: **www.kznpp.org / Актуално / Обществени поръчки / Пазарни консултации / 49653.**

Further information may be obtained from Petranka Popnikolova, Marketing Expert, Tel.: +359 973 7 24 86, e-mail: papopnikolova@npp.bg.